



Lick feeder presentation  
by Cameron White

# Lambing in April










**MAN - MOB AVERAGE REPORT**

**Client**  
 Nepowis  
 P.O. Box 317  
 Narrogin W.A. 6312  
**Group ID:** Blue Tag Ewes

**Date Sample Taken -**  
**Inc No:** N19P01727  
**Wool Growth -** months


**Contact -** Micron Man  
**Out Phone:** (08)94181733  
**P.O. Box:** 1423  
**Bibra Lake W.A. 6305**  
**Age at Sample Date -** months

**MOB AVERAGE MICRON HISTOGRAM**



1<sup>st</sup> march


**MOB AVERAGE MICRON PROFILE GRAPH**



Lambing

weaned

**MOB AVERAGE LENGTH DISTRIBUTION**



**AVERAGE MOB DATA**

Number of Samples :	13
Average Micron :	21.7 mic
Average CV :	17.1 %
Average SU :	3.7 mic
Average SP :	47.9 %
Average SE :	1.0 %
Average SF :	29.3 mic
Average SW :	77.8 kg/m
Average SDI :	56.3 kg/m
Average Staple Length :	49.2 mm
Average Finest Point EP :	3.8 mm
Average Mean Fibre Dia :	21.5 mic
Average Minimum Fibre Dia :	20.2 mic
Average Maximum Fibre Dia :	23.1 mic
Average Skin Dia :	22.6 mic
Average Skin CV :	16.7 %

10mm/mth

# Setting up feeders









SPEED LIMIT  
OVER WEIGHBRIDGE  
1 Km/h

Slide up or down to adjust dept of grain

Finger width



Filling feeders needs to be simple , chaser bins seem like the logical choice but in reality after rain you just make a mess the paddocks with compaction and spills . Converting sheep feeders means anyone fill and you can incorporate filling feeders while going to and from other jobs .



Shifting feeders.



Shifting feeders with a trailer saves time but more importantly saves the feeder from damage . Once you know how much the mob is eating you can easily let the feeders run down to about 200kg to be able to shift them . I find that shifting them with a little bit left in saves having to go back to the feeder and fill for a couple of days .( 300 ewes @ 300gms will eat about 90kg /day)











# Placement is critical to avoid ewes leaving a lamb behind.

To avoid ewes leaving lambs at the feeder and promote ewes to file past the feeder like they do a water trough keep the feeder at least 300m from where ewes are likely to camp and 300m from their water



 Advantage Tennis









The end

